## INDEX TO VOLUME XXII

## AUTHORS

PAGE	PAGE
Aitken, T. R., and M. H. Fisher. Mix- ing tolerances of varieties of hard red	Carter, E. P., and G. Y. Young. Effect of moisture content, temperature, and length of storage on the develop-
spring wheat	ment of "sick" wheat in sealed con-
Alexander, T. L. (See V. H. Morris)	tainers
351, 361	Collatz, F. A. (See C. E. Felt) 261
Andrews, A. C. (See R. B. Meckel) 429 Andrews, A. C. (See C. O. Swanson)	Coolidge, M. H. (See G. F. Somers). 333
60, 134	Derby, R. I. (See C. G. Ferrari) 197
Andrews, J. S. Book review: The chemistry and technology of food and food products. II., ed. by	— (See W. S. Hutchinson) 187  Dunn, J. A. John C. Baker—man and scientist
M. B. Jacobs	
Arnold, Aaron. Report of the 1944-45 committee on riboflavin assay 455	Favor, H. H. (See R. T. Bohn) 296 Felt, C. E., A. C. Buechele, L. F. Bor- chardt, R. C. Koehn, F. A. Collatz,
Artis, W. G., and R. F. Bawden. Investigation of problems associated	and F. C. Hildebrand. Determina- tion of shelf life of packaged cereals. 261
with the use of malt in industrial alcohol production	Ferrari, C. G. The Thomas Burr Os-
alcohol production	borne medal
stituents on fermentation 321	Derby. Multiple bleaching of flour.  III. Bleaching efficiency in systems
Bailey, C. H. (See P. P. Merritt) 372 Baker, J. C. Acceptance of the Os-	involving nitrogen trichloride and another bleaching gas 197
borne medalNo. 6, Suppl. p. 24	another bleaching gas
— Bread as I see it . No. 6, Suppl. p. 27	tiple bleaching of flour. I. Bleach-
—— Selected bibliography. No. 6, Suppl. p. 15	ing efficiency as influenced by flour agitation and optimum utilization of
Barmore, M. A. (See K. F. Finney)	the bleaching agent 101
Barnes, R. H., J. E. Maack, M. J.	the bleaching agent
Knights, and G. O. Burr. Measure- ment of the growth-promoting qual-	and the effect of variety and protein level on the baking absorption of
ity of dietary protein 273	flour 140
ity of dietary protein	- and M. A. Barmore. Optimum
and Leonard Stone. Glutamic acid content of feed materials 514	vs. fixed mixing time at various potassium bromate levels in experi-
, Leonard Stone, and C. S. Boruff.	mental bread baking 244
Amino acid composition of grain alcohol fermentation by-products 311	and Varietal responses to certain baking ingredients essential
Bawden, R. F. (See W. G. Artis) 22	in evaluating the protein quality of
Bawden, R. F. (See W. G. Artis) 22 Bayfield, E. G., J. A. Johnson, and	hard winter wheats
<b>E. C. Swanson.</b> Effect of room temperature in experimental baking 547	Fisher, M. H. (See T. R. Aitken) 392 Fosnot, R. H., and R. W. Haman. A
—— (See E. C. Swanson) 214	photometric evaluation of the "ap-
Bice, C. W., M. M. MacMasters, and G. E. Hilbert. Wheat starch prop-	pearance" of various malt syrups as influenced by storage conditions 522
erties in relation to grain maturity. 463	and A preliminary investiga-
Blish, M. J. Book review: The amino	tion of the application of the Karl Fischer reagent to the determination
acid composition of proteins and foods, by R. J. Block and Diana Bolling	of moisture in cereals and cereal products
Bohn, R. T., and H. H. Favor. Func-	Frey, C. N. (See Lawrence Atkin) 321
tional properties of soya flour as a	Garnatz, George (See P. W. Hodler). 559
Bossbardt J. F. (See C. F. Folt) 261	Geddes, W. F. (See Max Milner)
Boruff, C. S. (See C. E. Felt) 261 Boruff, C. S. (See Werner Baum-	Glick David The sheling content of
Boruff, C. S. (See Werner Baumgarten)311	Glick, David. The choline content of pure varieties of wheat, oats, barley,
Buechele, A. C. (See C. E. Felt) 261	flax, soybeans, and milled fractions
Burr, G. O. (See R. H. Barnes) 273	of wheat
Cailleau, Relda, L. E. Kidder, and	—— (See Marjorie Howe) 502
A. F. Morgan. The thiamine con-	Hads, H. L. (See Eric Kneen) 407
tent of raw and parboiled rices 50 Carpenter, L. E. (See E. L. Hove) 287	Haman, R. W. (See R. H. Fosnot) 41, 522

Harrel, C. G. (See G. F. Somers). Harrel, C. G. (See E. L. Hove) Harris, R. H., L. D. Sibbitt, and G. M.	333	Landis, Quick. Methods for determi-	
Harris R. H., L. D. Sibbitt, and G. M.	287	nation of alpha-amylase. I. Classi-	
Scott. Comparative effects of vari-		fication of enzyme assay methods, standardization of samples, and	
ety and environment on some prop-		calibration of modified procedures	1
erties of North Dakota hard red			
spring wheat flours	75	Maack, J. E. (See R. H. Barnes)	273
Herran Helen (See D. F. Whitney)	531	Mackenzie, H. S. (See H. W. Wood-	158
Hilbert, G. E. (See C. W. Bice)	463	MacMasters, M. M. (See C. W. Bice)	463
— (See L. D. Sibbitt)  Herren, Helen (See D. E. Whitney).  Hilbert, G. E. (See C. W. Bice).  Hildebrand, F. C. (See C. E. Felt).  Hites, B. D. (See R. M. Sandstedt).	261	MacMasters, M. M. (See C. W. Bice) Mather, A. N. (See Werner Baum-	
Hites, B. D. (See R. M. Sandstedt).	161	morton)	514
Hochberg, Melvin, Daniel Melnick, and B. L. Oser. Simplified colori-		Mecham, D. K. (See C. G. Ferrari)	101
		Meckel, R. B., and G. Anderson.	
metric determination of thiamine in cereal products	83	Thiamine retention and composition of U. S. Army bread	429
Hodler, P. W., and George Garnatz.	00	Melnick, Daniel (See Melvin Hoch-	147
Communication to the editor: A		hamal	83
simple test for riboflavin in enriched		Meredith, W. O. S. Analysis of data	
flours	559	for A.A.C.C. check sample service.	
Hoffer, A., and A. W. Alcock. Com-		I. Protein and thiamine results	437
munication to the editor: A rapid		Merritt, P. P., and C. H. Bailey. Pre-	431
method for the combined determina- tion of thiamine and riboflavin in		liminary studies with the extenso-	
cereal products	271	graph	372
Hove, E. L., L. E. Carpenter, and C. G.		graph Milner, Max, and W. F. Geddes. Grain storage studies. I. Influence of localized heating of soybeans on	
Harrel. The nutritive quality of		Grain storage studies. 1. Influence	
some plant proteins and the supple-		of localized heating of soybeans on interseed air movements	477
mental effect of some protein con-		— and — Grain storage studies.	***
centrates on patent flour and whole	287	II. The effect of aeration, tempera-	
wheat. Howe, Marjorie, and David Glick.	201	ture, and time on the respiration of	
Activity-pH relationships and in-		soybeans containing excessive mois-	404
hibition of proteolytic enzyme activ-		Morgan A P (See Poldo Coillean)	484
ity of milled fractions of wheat		Morgan, A. F. (See Relda Cailleau). Morris, V. H., T. L. Alexander, and E. D. Pascoe. Studies of the com-	30
Hutchinson, J. B. (See C. R. Jones). Hutchinson, W. S., C. G. Ferrari, and	538	E. D. Pascoe. Studies of the com-	
Hutchinson, W. S., C. G. Ferrari, and		position of the wheat kernel. 1.	
R. I. Derby. Multiple bleaching of		Distribution of ash and protein in	
flour. II. Bleaching efficiency in systems involving nitrogen peroxide		center sections	351
and another bleaching gas	187	center sections	
(See C. G. Ferrari) 101,		of the wheat kernel. II. Distribu-	
		tion of certain inorganic elements in	
Jenness, Robert. Book review: The		center sections	361
estimation of vitamin A, by N. T.	462	Norris P A Book review: Industrial	
Johnson, H. C. An investigation of	102	Norris, F. A. Book review: Industrial oil and fat products, by A. E. Bailey	560
shorter bread sponges	255	on and the products, by 11, 25, Dancy	000
Johnson, J. A., and C. O. Swanson.		Oser, B. L. (See Melvin Hochberg).	83
Effect of fermentation, rest periods,			
and formula ingredients on mixo-		Pascoe, E. D. (See V. H. Morris)	264
	204	351,	301
_	547	Sandstedt, R. M., and B. D. Hites.	
Jones, C. R., and J. B. Hutchinson.		Ascorbic acid and some related com-	
On a factor in oat bran markedly antagonistic to baking quality of		pounds as oxidizing agents in doughs	161
wheat flour	538	Sandstrom, W. M. Book review: Ad-	
		M. L. Anson and John T. Edsall	81
Karrh, J. H. Introductory remarks of		Schultz, A. S. (See Lawrence Atkin).	321
the Chairman of the New York		Schwain, F. R. Report of the 1944-45	
Section, American Association of Cereal Chemists (Osborne medal		committee on testing biscuit and	
award) No. 6, Suppl.	p. 3	cracker flours. Sciarini, L. J., and J. C. Wirth.	553
Kidder, L. E. (See Relda Cailleau)	50	Ethanol production from wheat hy-	
	112	drolysates and stillage by yeast and	
- and H. L. Hads. Effects of		fusaria	11
variety and environment on the		fusaria.  Scott, G. M. (See R. H. Harris)  Sibbitt, L. D., and R. H. Harris.  Composison, between some recognitions.	75
amylases of germinated wheat and	407	Comparison between the Harris.	
barley Knights, M. J. (See R. H. Barnes) Koehn, R. C. (See C. E. Felt)	273	Comparison between some proper- ties of mixograms from flour and	
Koehn, R. C. (See C. E. Felt)	261		531

2

Skovholt, Oscar. Presentation of the Thomas Burr Osborne medal. No. 6, Suppl. p. 22 Somers, G. F., M. H. Coolidge, and K. C. Hamner. The distribution of	Swanson, E. C., and E. G. Bayfield. The effect of mixing speed and dry	204 214 547
steele, H. K. Report of the 1944-45	ncy/	90
committee on niacin (nicotinic acid) assay	and ribonavin content of the grain	
garten)	Wirth, J. C. (See L. J. Sciarini) Witt, P. R. Effect of kilning on the	90
amount of mixing and to the flour- water ratio	amylolytic activity of barley malts.  Woodson, H. W., and H. S. Macken- zie. Note on a biochemical method	341
water, cysteine, and glutathione on gluten dispersion or on disintegration as indicated by gluten recovery and	for determining crude fiber in corn meal	158
by mixogram patterns 134	Young, G. Y. (See E. P. Carter)	410
SUB	BJECTS	
A.A.C.C., see American Association of Cereal Chemists	Asparagine, Effect on microbiological assay of glutamic acid (Baum-	
Absorption, Soybean flour (Bohn and Favor)	garten, Mather, and Stone)	514
Aeration, Effect on respiration of soy- beans with excessive moisture	assay of glutamic acid (Baum- garten, Mather, and Stone)	514
(Milner and Geddes)	Atmospheric composition, Effect on bread sponges (Johnson)	255
Alcohol Ethyl, see Ethyl alcohol	medal to	
Grain, see Ethyl alcohol Industrial, see Ethyl alcohol Alfalfa, Glutamic acid content (Baum-	Experimental, see Baking tests Formulae, Effect of ingredients on dough mixograms (Johnson and	
garten, Mather, and Stone) 514 Alpha amylase, see Amylases American Association of Cereal Chem-	Swanson)	204
ists Check sample service on protein and	effect of room temperature (Bay- field, Johnson, and Swanson)	547
thiamine (Meredith)	levels (Finney and Barmore) Thiamine loss in (Meckel and Ander-	244
Amino acids In fermentation by-products (Baum-	Water absorption of flour for	429
garten, Stone, and Boruff) 311 Microbiological assay (Baumgarten, Stone, and Boruff) 311	Barley	149
Amylases Barley, effect of kilning on malt activity (Witt) 341	(Artis and Bawden) Amylases, see Amylases, Barley	95
variety and environment (Kneen and Hads) 407	Germinated, effect on amylases	
Determination (Landis)	Malt, see Malt	
ment (Kneen and Hads) 407  Animal by-products, Glutamic acid content (Baumgarten, Mather,	Biscuit flour, Testing (Schwain) Bleaching Agents	553
and Stone)	efficiency in multiple systems in- volving	
Ascorbic acid, Oxidizing action in dough (Sandstedt and Hites) 161  Ash, In wheat, distribution in center		
Ash, In wheat, distribution in center sections of kernel (Morris, Alex- ander, and Pascoe)	NCl <sub>3</sub> (Ferrari, Hutchinson, and	

Bleaching (Continued)		Cereals and cereal products (Continued)	
optimum utilization (Ferrari,	404	Storage, effect of	
Hutchinson, and Mecham)	101	aeration, temperature, and time	
Flour, multiple, efficiency of (Ferrari, Hutchinson, and Mecham)	101	on respiration (Milner and	484
— (Hutchinson, Ferrari, and Der-		Geddes)	
	187	and Geddes)	
- (Ferrari, Hutchinson, and Der-		Thiamine assay	
by)	197	colorimetric (Hochberg, Melnick,	
Book reviews		and Oser)	83
		combined with rapid riboflavin	
Advances in protein chemistry, by M. L. Anson and J. T. Edsall		assay (Hoffer and Alcock)	271
(Sandstrom)	81	Chlorine dioxide	
The amino acid composition of pro-		Flour bleaching action in combina-	
teins and foods, by R. J. Block and	272	tion with NO <sub>2</sub> (Hutchinson, Ferrari, and	
Diana Bolling (Blish) The chemistry and technology of	272	Derby)	187
food and food products. II., ed.		NCls (Ferrari, Hutchinson, and	201
by M. B. Jacobs (Andrews)		Derby)	197
The estimation of vitamin A, by		Chlorine gas	
N. T. Gridgeman (Jenness)		Flour bleaching action in combina-	
Industrial oil and fat products, by		tion with	
A. E. Bailey (Norris)	560	NO2 (Hutchinson, Ferrari, and	407
Brabender extensograph, Measure-		Derby)	187
ment of dough properties (Merritt		NCl <sub>3</sub> (Ferrari, Hutchinson, and Derby)	197
and Bailey)	312	Choline	121
Bran, Oat, factor from antagonistic to		In cereals and cereal products	
baking quality of flour (Jones and		(Glick)	95
Hutchinson)	330	In flax (Glick)	95
Bread Baking, see Baking		In soybeans (Gilck)	95
Chemistry of production (Baker)		Collaborative studies	
No. 6, Suppl. 1	D. 27	Biscuit and cracker flour testing	E E 2
Nicotinic acid assay, colorimetric		(Schwain)	553
(Steele)	448	Riboflavin assays (Arnold)	455
Riboflavin assay, fluorometric (Ar-		Committee reports	400
nold)		Committee on	
Soybean flour in (Bohn and Favor).		niacin (nicotinic acid) assay, 1944-	
Sponges, see Dough, Sponge		45 (Steele)	448
Thiamine		riboflavin assay, 1944-45 (Arnold)	455
content, Army (Meckel and An-		Testing biscuit and cracker flour,	
derson)	429	1944–45 (Schwain)	553
retention in Army (Meckel and		Corn Alcohol production from using malt	
Anderson)	429	(Artis and Bawden)	22
Volume, see Loaf volume		Meal, fiber, crude, determination in	
Breakfast cereals, Packaged, shelf life		(Woodson and Mackenzie)	158
determination (Felt, Buechele, Borchardt, Koehn, Collatz, and		Cracker flour, testing (Schwain)	553
Borchardt, Koenn, Conatz, and	261	Cysteine, Effect on gluten dispersion	
Hildebrand)	201	and disintegration (Swanson and	
		Andrews)	134
Mixing time at various levels (Finney and Barmore)	244	Debudesesseble said Oxidising sai	
Requirements for dough, prediction		Dehydroascorbic acid, Oxidizing ac- tion in dough (Sandstedt and	
(Merritt and Bailey)		Hites)	161
(Merite and Dancy)	0.2	Distillers' by-products, see Fermenta-	101
Cereals and cereal products		tion by-products	
Choline content (Glick)	95	Dough	
Glutamic acid content (Baumgarten,		Ascorbic acid action in (Sandstedt	
Mather, and Stone)	514	and Hites)	161
Moisture		Bromate requirement predictions	272
content, relation to shelf life (Felt,		(Merritt and Bailey) Chemistry of processing (Baker)	3/2
Buechele, Borchardt, Koehn, Collatz, and Hildebrand)	261	No. 6, Suppl. p	27
determination using Karl Fischer	201	Composition, effect on fermentation	- 21
reagent (Fosnot and Haman)	41	(Atkin, Schultz, and Frey)	321
Packaged, shelf life determina- tion (Felt, Buechele, Borchardt,	-	Development, relation to mixing	
tion (Felt, Buechele, Borchardt,		'time and flour-water ratio (Swan-	
Koehn, Collatz, and Hildebrand).	261	son and Andrews)	60
Riboflavin assay, combined with		Effect of	
rapid thiamine assay (Hoffer and	371	fats on extensograms (Merritt and	272
Alcock)	271	Bailey)	372

Dough (Continued)		Fiber, Crude, in corn meal, determina-	
oxidizing agents on extensograms (Merritt and Bailey)		tion (Woodson and Mackenzie) Fischer reagent, see Karl Fischer re-	158
papain and -SH groups on gluten dispersion (Swanson and An-		agent Flax, Choline content (Glick) Flour	95
reducing agents on extensograms		Analysis, effect of variety and en-	
(Merritt and Bailey)		vironment, hard red spring wheat	
Fermentation, see Fermentation		(Harris, Sibbitt, and Scott)	75
Flour-water ratios, relation to de-		Baking quality	
velopment and gluten dispersion		antagonistic factor in oat bran	
(Swanson and Andrews)	60	(Jones and Hutchinson)	538
Formulae, see Baking formulae		effect of	
Mixing comparison of flour and whole		tion (Finney and Barmore)	225
wheat meal (Sibbitt and Harris)	531	variety and environment, hard	220
curves, effect of fermentation, rest	001	red spring wheat (Harris,	
periods, and ingredients (John-		Sibbitt, and Scott)	75
son and Swanson)	204	Biscuit, see Biscuit flour	
effect of rest periods on mixograms		Bleaching, see Bleaching, Flour	
(Johnson and Swanson)		Choline content	95
speed, effect on bread volume		Cracker, see Cracker flour	
(Swanson and Bayfield)	214	Enriched, riboflavin assay (Hodler	559
at various KBrO <sub>3</sub> levels (Finney		and Garnatz)	223
and Barmore)	244	to proteolytic activity (Howe and	
relation to development and		Glick)	502
gluten dispersion (Swanson		Inhibition of proteolytic activity	-
and Andrews)	60	(Howe and Glick)	502
tolerances of hard red spring		Mixing, see Dough, Mixing	
wheat (Aitken and Fisher)	392	Mixograms, comparison with un-	
Oxidizing agents in (Sandstedt and	161	sifted whole wheat meal (Sibbitt	E 24
Physical properties extensograph	101	and Harris)	531
Physical properties, extensograph measurements (Merritt and		Nicotinic acid assay, colorimetric (Steele)	448
Bailey)	372	Nutritive value, supplementary	110
Sponge, investigation of shorter		value of protein concentrates	
(Johnson)	255	(Hove, Carpenter, and Harrel)	287
		Protein	
Enriched flour, see Flour, Enriched		content	
Enzymes		A.A.C.C. check sample service	427
Assay methods (Landis)	1	(Meredith)	437
Standardization (Landis)	1	effect on baking absorption (Finney)	149
Units (Landis)	1	mixing tolerances (Aitken and	
Ethanol, see Ethyl alcohol		Fisher)	392
Ethyl alcohol		quality, effect of baking ingre-	
By-products, amino acid composi- tion (Baumgarten, Stone, and		dients on evaluation (Finney	
Boruff)	311	and Barmore)	225
Production		Riboflavin	
use of malt (Artis and Bawden)	22	assay enriched (Hodler and Garnatz)	550
from wheat hydrolysates and still-		fluorometric (Arnold)	455
age (Sciarini and Wirth)	11	content, Kansas wheat (Whitney,	
Extensograph, Measurement of dough		Herren, and Westerman)	90
properties (Merritt and Bailey)	372	Soybean, see Soybean flour	
Pets Effect on double extensions		Thiamine content	
Fats, Effect on dough extensograms	272	A.A.C.C. check sample service	
(Merritt and Bailey)	312	(Meredith)	437
Feeds, Glutamic acid content (Baumgarten, Mather, and Stone)	514	Kansas wheat (Whitney, Herren,	90
Fermentation	24.4	and Westerman)	
By-products		Fusaria. Use in alcohol production	1.17
amino acid composition (Baum-		Fusaria, Use in alcohol production from wheat hydrolysates and	
garten, Stone, and Boruff)		stillage (Sciarini and Wirth)	11
glutamic acid content (Baum- garten, Mather, and Stone)			
garten, Mather, and Stone)	514	Glutamic acid	
Effect		In feed materials (Baumgarten,	
of dough constituents (Atkin,	221	Mather, and Stone)	514
Schultz, and Frey)on mixograms (Johnson and Swan-	321	Microbiological assay (Baumgarten, Mather, and Stone)	514
son)	204	Glutathione, Effect on gluten disper-	014
Rate, effect of dough constituents	300	sion and disintegration (Swanson	
(Atkin, Schultz, and Frey)	321	and Andrews)	134

Gluten dispersion		Mixograms (Continued)	
Effect of papain and -SH groups		Gluten dispersion as effected by	
(Swanson and Andrews)		papain and -SH groups (Swanson	
Relation to mixing time and flour-		and Andrews)	
water ratio (Swanson and An-	60	Hard red spring wheat varieties	
Grain, see Cereals and cereal products		(Aitken and Fisher)	
Grain alcohol, see Ethyl alcohol		ratio studies (Swanson and An-	
Grass, Glutamic acid content (Baum-		drews)	60
garten, Mather, and Stone)		Moisture	-
		Determination in cereals using Karl	
Heating, Localized in soybeans, effect		Fischer reagent (Fosnot and Ha-	
on air movements (Milner and		man)	41
Geddes)	477	In packaged cereals, relation to shelf	
Hydrogen ion concentration, Activity		life (Felt, Buechele, Borchardt,	261
relationships in proteolytic activ-		Koehn, Collatz, and Hildebrand). In soybeans, effect on respiration	
ity of wheat milling fractions (Howe and Glick)		(Milner and Geddes)	484
Hypochlorous acid	002	In wheat, relation to development	101
Flour bleaching action in combina-		of "sick" wheat (Carter and	
tion with		Young)	418
NO2 (Hutchinson, Ferrari, and		Mold, Growth in soybeans during stor-	
Derby)		age (Milner and Geddes)	484
NCla (Ferrari, Hutchinson, and	407	*** ** *** ***	
Derby)	197	Niacin, see Nicotinic acid	
Industrial alcohol are Ether alcohol		Nicotinic acid	
Industrial alcohol, see Ethyl alcohol		Assay, colorimetric, in flour and bread (Steele)	445
Inorganic elements, In wheat, distribu- tion in center sections of kernel		In flour and bread, colorimetric	
(Morris, Pascoe, and Alexander).	361	assay (Steele)	448
(Maritin) a time of time and an artificial transfer of the control		Nitrogen peroxide	
Karl Fischer reagent, Use in determin-		Flour bleaching	
ing moisture in cereals (Fosnot		efficiency in combination with	
and Haman)	41	other agents (Hutchinson, Fer-	
Kilning, Effect on amylolytic activity		rari, and Derby)	187
of barley malt (Witt)	341	use of (Ferrari, Hutchinson, and	101
Loaf volume		Mecham)	101
Effect of		Flour bleaching	
mixing speed and milk solids		action in combination with NO2	
(Swanson and Bayfield)		(Hutchinson, Ferrari, and Der-	
protein content (Aitken and		by)	187
Fisher)	392	efficiency in combination with	
***		other agents (Ferrari, Hutchin-	
Malt		son, and Derby)	197
Effect of		use of (Ferrari, Hutchinson, and	101
kilning on amylolytic activity		Mecham)	101
(Witt) SO <sub>2</sub> on amylolytic activity (Witt)	341	Flour, supplementary value of pro-	
Sorghum (Kneen)	112	tein concentrates (Hove, Carpen-	
Syrup		ter, and Harrel)	287
effect of storage on appearance		Plant proteins (Hove, Carpenter,	
(Fosnot and Haman)		and Harrel)	287
photometric determination of ap-	===	Proteins, determination by feed-	
pearance (Fosnot and Haman).		ing experiments (Barnes, Maack,	27.5
Use in ethyl alcohol production		Knights, and Burr)	263
(Artis and Bawden)	22	Oats -	
Milk solids, Effect on bread volume (Swanson and Bayfield)	214	Bran, factor antagonistic to baking	
Minerals, In wheat, distribution in		quality of flour (Jones and Hutch-	
center sections of kernel (Morris,		inaon)	5 2 5
Pascoe, and Alexander)	361	Choline content (Glick)  Osborne medal award, to J. C. Baker	95
Mixing of dough, see Dough, Mixing		Osborne medal award, to J. C. Baker	
Mixograms		No. 0, St	ippl
Effect of		Oxidizing agents	
fermentation, rest periods, and in-		Action in dough (Sandstedt and	4
gredients (Johnson and Swan-		Hites)	161
son)	204	Effect on dough extensograms (Mer-	
variety and environment, hard red spring wheat (Harris, Sib-		ritt and Bailey)	3/2
bitt, and Scott)	75	Papain, Effect on gluten dispersion and	
From flour and unsifted whole wheat		disintegration (Swanson and An-	
		drews)	134
meal, comparisons (Sibbitt and Harris)	531	pH, see Hydrogen ion concentration	

Photometer, Use in determining ap-		Shelf life, Packaged cereals (Felt,	
pearance of malt syrups (Fosnot and Haman)		Buechele, Borchardt, Koehn, Collatz, and Hildebrand)	261
Pigments, Yellow in soybean flour	022	"Sick" wheat, Effect of moisture, tem-	201
(Bohn and Favor)	296	perature, and storage (Carter and	
Potassium bromate, see Bromate		Young)	418
Proteases, Activity, inhibition in		Sorghum	
wheat milling fractions (Howe and Glick)		Amylases, see Amylases, Sorghum Malt (Kneen)	112
Protein	000	Soybean	***
Concentrates		Choline content	95
amino acid composition (Baum-		Flour	
garten, Stone, and Boruff)		absorption (Bohn and Favor)	296
glutamic acid content (Baum- garten, Mather, and Stone)		rope spore content (Bohn and	296
supplementary value with flour		Favor)use as bread ingredient (Bohn and	270
(Hove, Carpenter, and Harrel).		Favor)	296
In flour		yellow pigment content (Bohn and	
A.A.C.C. check sample service		Favor)	296
(Meredith)quality, effect of baking ingre-		Moisture in, effect on respiration (Milner and Geddes)	484
dients on evaluation (Finney		Mold growth during storage (Milner	101
and Barmore)	225	and Geddes)	484
Nutritive value		Respiration, during storage with	
determination by feeding experi-		excessive moisture (Milner and	404
ments (Barnes, Maack, Knights, and Burr)	273	Geddes) Storage, Effect of	484
plant (Hove, Carpenter, and Har-	210	aeration, temperature, and time	
rel)		on respiration (Milner and	
In wheat, distribution in center sec-		Geddes)	484
tions of kernel (Morris, Alex-		heating on air movements (Milner	477
Proteolytic enzymes, see Proteases	351	and Geddes) Spectrographic analysis, Of wheat ash	477
Proteorytic enzymes, acc Proteases		(Morris, Pascoe, and Alexander).	361
Rats, Feeding tests in determination of		Sponge doughs, see Dough, Sponge	
protein quality (Barnes, Maack,		Starch	
Knights, and Burr)	273	Saccharification with sorghum malts	
Reducing agents, Effect on dough extensograms (Merritt and Bailey).	372	and amylases (Kneen)	112
Reductone, Action in dough (Sand-	312	Wheat, properties in relation to grain	
stedt and Hites)	161	maturity (Bice, MacMasters, and Hilbert)	463
Respiration, Soybeans, during storage		Stillage	100
with excessive moisture (Milner		Alcohol production from	
and Geddes)	484	hydrolyzed (Sciarini and Wirth)	11
Assays		using malt (Artis and Bawden)	22
in cereals, combined with rapid		Storage	
thiamine assay (Hoffer and		Malt syrups, effect on appearance (Fosnot and Haman)	522
Alcock)	271	Soybeans, effect	322
fluorometric, in flour and bread (Arnold)	455	of aeration, temperature, and	
In bread, Fluorometric assay (Arnold)		time on respiration (Milner and	
In flour		Geddes)	484
enriched, assay (Hodler and Gar-		of heating on air movements (Milner and Geddes)	477
natz)	559	on respiration with excessive mois-	***
fluorometric assay (Arnold) from Kansas wheat (Whitney,	455	ture (Milner and Geddes)	484
Herren, and Westerman)	90	Wheat, relation to development of	
In wheat	7	"sick" wheat (Carter and Young)	418
distribution (Somers, Coolidge,		Sulfur dioxide, Effect on amylolytic	244
and Hamner)	333	activity of barley malt (Witt)	341
Kansas (Whitney, Herren, and Westerman)	90	Sulfhydryl groups, effect on gluten dispersion (Swanson and Andrews)	1.34
Rice	20	Syrup, Malt, see Malt syrup	101
Thiamine content			
milling products (Cailleau, Kid-	*-	Temperature	
der, and Morgan)	50	Effect on	
raw and parboiled (Cailleau, Kid- der, and Morgan)	50	experimental baking (Bayfield, Johnson, and Swanson)	547
varieties (Cailleau, Kidder, and	00	respiration of soybeans with exces-	341
Morgan)	50	sive moisture (Milner and	
Rope spores, In soybean flour (Bohn	201	Geddes)	484
and Favor)	296	Wheat, relation to development of	410
and allait, occ mail		"sick" wheat (Carter and Young)	410

Thiamine		Wheat (Continued)	
Assays, in cereals colorimetric (Hochberg, Melnick,		Moisture content, relation to de- velopment of "sick" wheat (Carter	
and Oser)	83	and Young)	418
combined with rapid riboflavin assay (Hoffer and Alcock)		North Dakota, effect of variety and environment on flour properties	
In bread Army (Meckel and Anderson)		(Harris, Sibbitt, and Scott)	75
retention in Army (Meckel and		Protein distribution in center sections of	
Anderson)	429	kernel (Morris, Alexander, and	351
berg, Melnick, and Oser) In flour	83	Pascoe)quality, effect of baking ingre-	
A.A.C.C. check sample service	427	dients on evaluation (Finney and Barmore)	225
(Meredith) from Kansas wheat (Whitney,	437	Riboflavin content, Kansas (Whitney, Her-	
Herren, and Westerman) Loss in baking (Meckel and Ander-	90	ren, and Westerman)	90
son)	429	distribution (Somers, Coolidge, and Hamner)	333
In rice, raw and parboiled (Cailleau, Kidder, and Morgan) In wheat	50	"Sick," effect of moisture, tempera- ture, and storage (Carter and	
distribution (Somers, Coolidge,	222	Young)	418
and Hamner) Kansas (Whitney, Herren, and	333	hard, effect of variety and en-	
Westerman)	90	vironment on flour properties (Harris, Sibbitt, and Scott)	75
Vitamin BI, see Thiamine		mixing tolerances (Aitken and	
Vitamin B2, see Riboflavin		Fisher) Starch, see Starch, Wheat	392
Water absorption, Of flour for baking		Storage, relation to development of	
(Finney)	149	"sick" wheat (Carter and Young)	418
Alcohol production from		Temperature, relation to develop- ment of "sick" wheat (Carter and	
hydrolyzed (Sciarini and Wirth). using malt (Artis and Bawden)		Young)	418
Amylases, see Amylases, Wheat Ash		Thiamine content, Kansas (Whitney, Her-	00
distribution in center sections of		ren, and Westerman)distribution (Somers, Coolidge,	90
kernel (Morris, Alexander, and Pascoe)	351	and Hamner)	333
spectrographic analysis (Morris,		Varieties effect	
Pascoe, and Alexander) Choline content (Glick)	361 95	on amylases of germinated	407
Composition of kernel (Morris, Alex-	254	(Kneen and Hads) on baking absorption of flour	
ander, and Pascoe)	351	(Finney)	149
Environment, effect on flour proper-	501	of baking ingredients on evalua- tion of protein quality (Fin-	
ties, hard red spring (Harris,	75	ney and Barmore)	225
Sibbitt, and Scott)	75	on flour properties, hard red	
(Kneen and Hads)		spring (Harris, Sibbitt, and Scott)	75
Hard mixing tolerances (Aitken and		mixing tolerance of hard red spring	
Fisher)	392	(Aitken and Fisher)relation of	392
spring, effect of variety and en- vironment on flour properties		dough mixing speeds and milk	
(Harris, Sibbitt, and Scott)	75	solids on bread volume (Swanson and Bayfield)	214
Inorganic elements in, distribution in center sections of kernel (Morris,		maturity to starch properties	
Pascoe, and Alexander)	361	(Bice, MacMasters, and Hil-	
Maturity, relation to starch proper-		Whole wheat meal, Mixograms, com-	
ties (Bice, MacMasters, and Hilbert)	463	parisons with flour (Sibbitt and	
Milling fractions hydrogen ion concentration, rela-		Harris)	331
tion to proteolytic activity	-	Yeast	
(Howe and Glick)inhibition of proteolytic activity	502	Glutamic acid content (Baumgarten, Mather, and Stone)	514
(Howe and Glick)		Use in alcohol production from	
nutritive value (Hove, Carpenter,		wheat hydrolysates and stillage (Sciarini and Wirth)	
and Harrel)	401	Water, effect on gluten dispersion	* 4
Minerals in, distribution in center sections of kernel (Morris, Pascoe,	261	and disintegration (Swanson and	4.24
and Alexander)	301	Andrews)	134

